

# DRICLAD®

KEEPING YOUR MOTOR YACHT SAFE, DRY AND PROTECTED WITH A DRICLAD COVER SYSTEM

## MOTOR YACHT COVER SYSTEM WITH ELECTRICAL DEHUMIDIFIER

Tailor-made to suit most makes and models measuring 26ft/8m and upwards




Illustration depicting cover with air flow

- Arrow Key:
-  Ambient air
  -  Dry air
  -  Wet air




# DRICLAD<sup>®</sup>

KEEPING YOUR MOTOR BOAT SAFE, DRY AND PROTECTED  
WITH A DRICLAD COVER SYSTEM

MOTOR BOAT COVER SYSTEM

Tailor-made to suit all makes and models up to 26ft/8m




# DRICLAD®

KEEPING YOUR JET CRAFT SAFE, DRY AND PROTECTED  
WITH A DRICLAD COVER SYSTEM

JET CRAFT COVER SYSTEM

Tailor-made to suit all makes and models with or without trailer



# DRICLAD®

## How the Driclad System Works

When the motor yacht, motor boat or jet craft is dry and safely stored within the Driclad cover system, a robust moisture vapour-proof barrier is created.

For motor yachts a dry atmosphere can be maintained by means of an electrical dehumidifier. The dehumidifier provides an effective and efficient method of humidity control. Ambient air is drawn through the dehumidifier. The processed air then passes forward to the bow of the vessel and circulates throughout and within the cover system. A humidistat automatically controls the dehumidifier to keep humidity levels to an ideal standard for long-term storage conditions. A pedestrian entrance provides convenient access at all times.

For motor boats or jet craft a dry atmosphere can be maintained by means of desiccant, which can be regenerated. The cover then maintains a dry atmosphere to an ideal standard for storage conditions.

Easy, all-round access is made possible using a re-sealable moisture vapour-proof closure. The cover system is lightweight and easy to fit.

## Safe From Mould, Corrosion and Tarnishing

Once a constant dry atmosphere is achieved within the Driclad cover system, the dehumidifier or desiccant will protect the motor yacht, motor boat or jet craft and it's equipment, electrical wiring and accessories from mould, corrosion and tarnishing. An external inspection flap or vision panel with humidity indicator provides for easy monitoring of internal humidity conditions. The Driclad cover system operates efficiently in all climates, providing protection from adverse environmental conditions.

## Key Benefits of DRICLAD Boat Covers:

- Provide protection from mould attack, salt-laden air and UV radiation
- Minimise the effects of catalytic corrosion
- Wood veneers (if present), fittings and soft furnishings do not deteriorate
- Chrome and stainless steel fittings remain untarnished
- Humidistat automatically controls humidity levels (for dehumidifier applications)
- Cleaning not required during storage
- Greatly reduced maintenance costs
- Maximise asset value
- Improve service history
- Re-sealable and re-usable
- Efficient low running costs
- Ready for instant use
- Easy to regenerate desiccant applications (where desiccant is used)



### EPS LOGISTICS TECHNOLOGY LIMITED

Staplehurst Road, Sittingbourne, Kent ME10 IXS

Telephone: +44 (0) 1795 424433

Fax: +44 (0) 1795 436035

E-mail: [sales@epslt.co.uk](mailto:sales@epslt.co.uk)

Website: [www.epslt.co.uk](http://www.epslt.co.uk)